EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30698	(checking or determining or detecting or monitoring) near6 ((position or positional or location) near6 (mechanical or part$1 or component$1 or tool$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:17
L2	49628	(checking or determining or detecting or monitoring) near6 ((position or positional or location) near16 (mechanical or part$1 or component$1 or tool$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:18
L3	39475	(checking or determining or detecting or monitoring) near6 ((position or positional or location) near6 (relative or mutual or respect))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:19
L4	545	((oscillating or oscillation$1 or vibration$1 or vibrating) near5 (beam$1 or light)) near44 ((reference or predetermined or predefined) near12 (surface$1 or position$1 or location))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:23
L5	289581	(base or support or supporting or frame$1 or carrier$1) near26 ((moveable or movable or movement or dispaceable or displacable) near8 (relative or relatively or respect or relation or related))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:28
L6	141705	("250"/$7.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:28
L7	2641	(250/221.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:28
L8	1292	(250/548.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:29

L9	7852	(250/559.$7.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:29
L10	97694	("356"/$7.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:30
L11	398	((obstructed or obstruction or interruption or blocked or blocking) near8 (beam$1 or light)) near55 ((relative or relatively) near4 (position or positional or location or deviation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:36
L12	5987	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:33
L13	6	4 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:37
L14	2	4 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:39
L15	29	4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:40
L16	46	5 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:44

L17	68	4 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:35
L18	6	4 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:52
L19	10	4 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:53
L20	11	4 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:55
L21	108	4 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:35
L22	74048	((obstructed or obstruction or interruption or blocked or blocking) near8 (beam$1 or light))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:37
L23	11	15 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:56
L24	46	16 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:37

EAST Search History

L25	10	17 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:57
L26	11	21 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 09:58
L27	2	(mechanical adj3 part) and (elongate adj3 tool) and (mechanical adj3 support) and (feed adj3 direction) and (transducer adj3 device) and (control adj3 unit) and (coupling adj3 mechanism) and (reference adj3 surface) and (transmission adj3 elements)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 10:01